



STARK WIE EIN STIER

SIDING & SIDING.X (vertical) ON ALUMINIUM SUPPORTING SUBSTRATES CAD DETAILS

Siding + Siding.X vertical

CONTENTS:

- 2 vertical cross-section — product overview
- 3 vertical cross-section – bottom connection
- 4 horizontal cross-section – wall connection
- 5 horizontal cross-section – external corner
- 6 horizontal cross-section – internal corner
- 7 vertical cross-section – window ledge
- 8 horizontal cross-section – window reveals
- 9 vertical cross-section – window lintel
- 10 vertical cross-section – top connection
- 11 vertical cross-section – roof parapet

Siding 500+600 vertical



CONTENTS:

- 12 vertical cross-section — product overview
- 13 vertical cross-section – bottom connection
- 14 horizontal cross-section – wall connection
- 15 horizontal cross-section – external corner
- 16 horizontal cross-section – internal corner
- 17 vertical cross-section – window ledge
- 18 horizontal cross-section – window reveals
- 19 vertical cross-section – window lintel
- 20 vertical cross-section – top connection
- 21 vertical cross-section – roof parapet


product overview

SIDING & SIDING.X (vertical)

CAD DETAILS




Siding & Siding.X dimensions	
Siding ① Siding available visible widths: 138 mm x 0,7 mm 200 mm x 1,0 mm 300 mm x 1,2 mm 400 mm x 1,2 mm * ② shadow gap (width: 15 mm; depth: 7 mm) ③ storm-proof ④ storm-proof clip	Siding.X ① Siding.X available visible widths: 200 mm x 1,0 mm 300 mm x 1,0 mm* 400 mm x 1,0 mm* ② shadow gap (width: 15 mm; depth: 7 mm) ③ storm-proof ④ storm-proof clip





STARK WIE EIN STIER

bottom connection vertical cross-section SIDING & SIDING.X (vertical) CAD DETAILS




- ① SIDING & SIDING.X (vertical)
- ② perforated plate (PREFA)
- ③ drip (PREFA)
- ④ insertion profile (PREFA)
- ⑤ cover flashing
- ⑥ support profile
- ⑦ ventilation gap
- ⑧ connection screw
- ⑨ spacer bracket
- ⑩ insulation
- ⑪ thermal break
- ⑫ fastener driven into the supporting structure
- ⑬ structural substrate




STARK WIE EIN STIER

wall connection horizontal cross-section SIDING & SIDING.X (vertical) CAD DETAILS



- ① SIDING & SIDING.X (vertical)
- ② channel profile (canted)
- ③ starter profile (PREFA)
- ④ wall bracket
- ⑤ sealing tape
- ⑥ support profile
- ⑦ ventilation gap
- ⑧ connection screw
- ⑨ spacer bracket
- ⑩ insulation
- ⑪ thermal break
- ⑫ fastener driven into the supporting structure
- ⑬ structural substrate




connection variant



STARK WIE EIN STIER

external corner horizontal cross-section SIDING & SIDING.X (vertical) CAD DETAILS




- ① SIDING & SIDING.X (vertical)
- ② starter profile (PREFA)
- ③ external corner flashing (two parts)
- ④ support profile
- ⑤ ventilation gap
- ⑥ connection screw
- ⑦ spacer bracket
- ⑧ insulation
- ⑨ thermal break
- ⑩ fastener driven into the supporting structure
- ⑪ structural substrate



STARK WIE EIN STIER

internal corner horizontal cross-section SIDING & SIDING.X (vertical) CAD DETAILS



connection variant


- ① SIDING & SIDING.X (vertical)
- ② starter profile (PREFA)
- ③ channel profile (canted)
- ④ internal corner (canted)
- ⑤ support profile
- ⑥ ventilation gap
- ⑦ spacer bracket
- ⑧ Distanzhalter
- ⑨ insulation
- ⑩ thermal break
- ⑪ fastener driven into the supporting structure



STARK WIE EIN STIER

window ledge vertical cross-section SIDING & SIDING.X (vertical) CAD DETAILS


- ① SIDING & SIDING.X (vertical)
- ② window ledge
- ③ window ledge flashing strip
- ④ perforated metal plate (canted)
- ⑤ support profile
- ⑥ ventilation gap
- ⑦ connection screw
- ⑧ spacer bracket
- ⑨ insulation
- ⑩ thermal break
- ⑪ fastener driven into the supporting structure
- ⑫ structural substrate





STARK WIE EIN STIER

window reveals horizontal cross-section SIDING & SIDING.X (vertical) CAD DETAILS




- ① SIDING & SIDING.X (vertical)
- ② insertion profile (PREFA)
- ③ jamb flashing
- ④ jamb flashing — variant
- ⑤ support profile
- ⑥ ventilation gap
- ⑦ connection screw
- ⑧ spacer bracket
- ⑨ insulation
- ⑩ thermal break
- ⑪ fastener driven into the supporting structure
- ⑫ structural substrate



STARK WIE EIN STIER

window lintel vertical cross-section SIDING & SIDING.X (vertical) CAD DETAILS




- ① SIDING & SIDING.X (vertical)
- ② insertion profile (PREFA)
- ③ drip (PREFA)
- ④ perforated plate (PREFA)
- ⑤ cover flashing
- ⑥ support profile
- ⑦ ventilation gap
- ⑧ connection screw
- ⑨ spacer bracket
- ⑩ insulation
- ⑪ thermal break
- ⑫ fastener driven into the supporting structure
- ⑬ structural substrate



STARK WIE EIN STIER

top connection vertical cross-section SIDING & SIDING.X (vertical) CAD DETAILS




- ① SIDING & SIDING.X (vertical)
- ② channel profile (canted)
- ③ perforated metal plate (canted)
- ④ support profile
- ⑤ ventilation gap
- ⑥ connection screw
- ⑦ spacer bracket
- ⑧ insulation
- ⑨ thermal break
- ⑩ fastener driven into the supporting structure
- ⑪ structural substrate



STARK WIE EIN STIER

roof parapet vertical cross-section SIDING & SIDING.X (vertical) CAD DETAILS







STARK WIE EIN STIER

product overview

SIDING & SIDING.X (vertical)

CAD DETAILS




Siding dimensions	
Siding	
①	Siding available visible widths: 500 mm x 1,5 mm 600 mm x 1,5 mm
②	shadow gap (width: 15 mm; depth: 7 mm)
③	storm-proof clip



STARK WIE EIN STIER

bottom connection vertical cross-section SIDING & SIDING.X (vertical) CAD DETAILS




- ① SIDING & SIDING.X (vertical)
- ② perforated plate (PREFA)
- ③ drip (PREFA)
- ④ insertion profile (PREFA)
- ⑤ cover flashing
- ⑥ support profile
- ⑦ ventilation gap
- ⑧ connection screw
- ⑨ spacer bracket
- ⑩ insulation
- ⑪ thermal break
- ⑫ fastener driven into the supporting structure
- ⑬ structural substrate




STARK WIE EIN STIER

wall connection horizontal cross-section SIDING & SIDING.X (vertical) CAD DETAILS



- ① SIDING & SIDING.X (vertical)
- ② channel profile (canted)
- ③ starter profile (PREFA)
- ④ wall bracket
- ⑤ sealing tape
- ⑥ support profile
- ⑦ ventilation gap
- ⑧ connection screw
- ⑨ spacer bracket
- ⑩ insulation
- ⑪ thermal break
- ⑫ fastener driven into the supporting structure
- ⑬ structural substrate




connection variant



STARK WIE EIN STIER

external corner horizontal cross-section SIDING & SIDING.X (vertical) CAD DETAILS




- ① SIDING & SIDING.X (vertical)
- ② starter profile (PREFA)
- ③ external corner flashing (two parts)
- ④ support profile
- ⑤ ventilation gap
- ⑥ connection screw
- ⑦ spacer bracket
- ⑧ insulation
- ⑨ thermal break
- ⑩ fastener driven into the supporting structure
- ⑪ structural substrate



STARK WIE EIN STIER

internal corner horizontal cross-section SIDING & SIDING.X (vertical) CAD DETAILS



connection variant


- ① SIDING & SIDING.X (vertical)
- ② starter profile (PREFA)
- ③ channel profile (canted)
- ④ internal corner (canted)
- ⑤ support profile
- ⑥ ventilation gap
- ⑦ spacer bracket
- ⑧ Distanzhalter
- ⑨ insulation
- ⑩ thermal break



STARK WIE EIN STIER

window ledge vertical cross-section SIDING & SIDING.X (vertical) CAD DETAILS


- ① SIDING & SIDING.X (vertical)
- ② window ledge
- ③ window ledge flashing strip
- ④ perforated metal plate (canted)
- ⑤ support profile
- ⑥ ventilation gap
- ⑦ connection screw
- ⑧ spacer bracket
- ⑨ insulation
- ⑩ thermal break
- ⑪ fastener driven into the supporting structure
- ⑫ structural substrate





STARK WIE EIN STIER

window reveals horizontal cross-section SIDING & SIDING.X (vertical) CAD DETAILS




- ① SIDING & SIDING.X (vertical)
- ② insertion profile (PREFA)
- ③ jamb flashing
- ④ jamb flashing — variant
- ⑤ support profile
- ⑥ ventilation gap
- ⑦ connection screw
- ⑧ spacer bracket
- ⑨ insulation
- ⑩ thermal break
- ⑪ fastener driven into the supporting structure
- ⑫ structural substrate



STARK WIE EIN STIER

window lintel vertical cross-section SIDING & SIDING.X (vertical) CAD DETAILS




- ① SIDING & SIDING.X (vertical)
- ② insertion profile (PREFA)
- ③ drip (PREFA)
- ④ perforated plate (PREFA)
- ⑤ cover flashing
- ⑥ support profile
- ⑦ ventilation gap
- ⑧ connection screw
- ⑨ spacer bracket
- ⑩ insulation
- ⑪ thermal break
- ⑫ fastener driven into the supporting structure
- ⑬ structural substrate



STARK WIE EIN STIER

top connection vertical cross-section SIDING & SIDING.X (vertical) CAD DETAILS



- ① SIDING & SIDING.X (vertical)
- ② channel profile (canted)
- ③ perforated metal plate (canted)
- ④ support profile
- ⑤ ventilation gap
- ⑥ connection screw
- ⑦ spacer bracket
- ⑧ insulation
- ⑨ thermal break
- ⑩ fastener driven into the supporting structure
- ⑪ structural substrate



STARK WIE EIN STIER

roof parapet vertical cross-section SIDING & SIDING.X (vertical) CAD DETAILS

